BISSELL Hard Floor SolutionsTM

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: BISSELL

Hard Floor Solutions

Product No. 0484 Chemical Formula: Mixture

MANUFACTURER: 24-Hour Emergency Phone Number: 1(800) 690-3886

BISSELL INC. P.O. Box 1888

Grand Rapids, MI 49501

(616) 453-4451

2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Ingredient</u>	Percent	Exposure Limits TWA	CAS Number
Alkyl (C ₁₂ -C ₁₆) dimethyl benzyl ammonium chloride		ND	68424-85-1
Octyl decyl dimethyl ammonium chloride		ND	32426-11-2
Dioctyl dimethyl ammonium chloride		ND	5538-94-3
Didecyl dimethyl ammonium chloride		ND	7173-51-5
Also contains surfactants, chelating agent, fragrance, and water.			

3. HAZARDS IDENTIFICATION

Emergency Overview:

Keep out of reach of children.

Potential Health Effects:

Eye: Contact with eyes causes eye irritation.

Skin: Prolonged contact with skin causes skin irritation.

Inhalation: Inhalation is not an expected route of exposure. Inhalation of product mist

or spray may cause respiratory irritation.

Ingestion: Ingestion is not an expected route of exposure. Ingestion of small amounts

may cause gastrointestinal irritation and more serious effects are possible if

large quantities of product are swallowed.

BISSELL Hard Floor SolutionsTM

4. FIRST AID MEASURES

EYE: Immediately flush eyes with plenty of water for at least 15

minutes. Get medical attention, if irritation develops or persists.

SKIN: Wash skin with water. Remove contaminated clothing.

INGESTION: If swallowed, contact a physician or poison control center immediately.

Never give anything by mouth to an unconscious person.

INHALATION: Remove affected person to fresh air. Get medical attention if person has

difficulty breathing or if irritation develops or persists...

FIRE FIGHTING MEASURES 5.

FLASH POINT: $> 200^{\circ}F$ FLAMMABILITY: None.

EXTINGUISHING MEDIA: Use water, water fog, CO2, dry chemicals

or foam.

None

FIRE and EXPLOSION HAZARDS

FIRE FIGHTING EQUIPMENT: Fire fighters should wear self-contained

breathing apparatus and protective clothing.

ACCIDENTAL RELEASE MEASURES 6.

SMALL SPILLS: Absorb and wipe up or rinse away with water.

contain spilled liquid with sand or earth. Place in a LARGE SPILL: disposal container for disposal. After removal, flush

area thoroughly with water.

WASTE DISPOSAL: Follow all local, state and federal regulations for large spills.

7. HANDLING AND STORAGE

Use only as directed. Avoid contact with eyes and skin. Use with HANDLING:

adequate ventilation. Wash hands before eating.

STORAGE: Store OUT OF REACH OF CHILDREN. Keep

container tightly closed when not in use.

BISSELL Hard Floor SolutionsTM

8. PERSONAL PROTECTION

RESPIRATORY PROTECTION:
PROTECTIVE GLOVES:
EYE PROTECTION:
VENTILATION:
Not required if under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear to very slight haze ODOR: Fresh citrus blend scent

BOILING POINT, 760mm Hg: 212°F

VAPOR PRESSURE: Not determined

VAPOR DENSITY:

SOLUBILITY IN WATER:

SPECIFIC GRAVITY:

pH:

ND

Complete
1.005 – 1.015
6.0-7.0

% Volatile Organic Compounds >0.5%

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Strong Oxidizers

INCOMPATIBILITY: Anionic materials and strong oxidizers

HAZARDOUS DECOMPOSITION: Toxic hydrogen chloride fumes, oxides of carbon

and nitrogen.

HAZARDOUS POLYMERIZATION: Will not occur

11. TOXICOLOGICAL INFORMATION

Tested and labeled to FHSA requirements. Contains no listed carcinogens.

INGESTION: The oral LD50 is greater than 5 g/kg

INHALATION: The inhalation LC50 is greater than 2 mg/L for four hour

exposure.

SKIN: The primary dermal irritation index was 5.2

This product is a primary eye and skin irritant per FHSA tests.

BISSELL Hard Floor SolutionsTM

12. ECOLOGICAL INFORMATION

AQUATIC TOXICITY: No information available.

ENVIRONMENTAL EFFECTS: Product is expected to rapidly disperse in the aquatic

environment.

13. DISPOSAL CONSIDERATION

DISPOSAL OF PRODUCT: Disposal methods must be in compliance with all

Federal, State or Provincial, and local laws and

regulations.

DISPOSAL OF PACKAGING: Disposal methods must be in compliance with all

Federal, State or Provincial, and local laws and

regulations

14. TRANSPORTATION INFORMATION

TRANSPORTATION:

HAZARD RATING: Fire: 0 Toxicity: 0 Reactivity: 0

DOT Labeling: None

DOT Proper Shipping Name: Not Regulated

DOT Hazard Class: None

U.S. Surface Freight Classification: Cleaning Compound, liquid, NOI

15. REGULATORY INFORMATION:

EEC LABELLING INFORMATION:

Symbol: Not Applicable Contains: Not Applicable

R Phases: None S Phases: None

BISSELL Hard Floor SolutionsTM

16. OTHER INFORMATION

Notice:

The information herein is presented in good faith and believed to be accurate as of the effective date shown below. However, no warranty, expressed or implied, is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that its activities comply with federal, state or Provincial laws.

Effective Date: July 8, 2004

Supersedes: None

Prepared by: Michael R. Foote

This MSDS has been revised in the following section(s): **NEW FORMULA**

MRF/sth